

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	8	((("4910691") or ("5014220") or ("5326270") or ("5395243") or ("5535442") or ("5701400") or ("5727161") or ("5779486")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/02/08 18:04
S15	127	(manag\$5 or information) same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 18:10
S19	15	S17 same S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 18:13
S24	4	S17 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 19:07
S26	6	(S5) and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 19:09
S29	6	S5 and table and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 19:10
S31	31	((("5727161") or ("9744766") or ("6018731") or ("5701400") or ("5317677") or ("5395243") or ("6092060") or ("6272482") or ("20040181441") or ("6157808") or ("5418898") or ("5727950") or ("5788504") or ("5310349") or ("5799292") or ("5692213") or ("5694601") or ("5827070") or ("5701400") or ("5675752") or ("5781186") or ("0788065") or ("5745103") or ("5748190") or ("5822525") or ("5257185") or ("5051923") or ("20020198858") or	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/02/08 19:18

		("6434447") or ("5836771") or ("6014134") or ("0788065").PN.				
S32	7	S31 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 19:19
S34	4	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 19:19
S56	75	S55 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 09:43
S62	164	S61 and (@pd<"19971222" or @ad<"19971222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 10:27
S83	60	S75 and (S76 same service) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 13:14
S85	60	S75 and (S76 same service) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:16
S88	60	S86 and (S87 same service) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 17:10
S89	3	(("5727161") or ("5788504") or ("5727950")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/02/14 11:38
S91	1	S90 and (goal same spreadsheet) and (model or present\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 11:47
S92	1	S90 and (goal same spreadsheet) and (spreadsheet same present \$) and (spreadsheet same model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:09

S101	4	S94 and (accepts same2 data same2 appropriate same2 candidate same2 behaviors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:11
S111	1	"5727161".pn. and (learn \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:06
S112	2	"5372507".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:47
S113	6	("5372507" "5727950" "5727161").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:47
S114	3	S113 and accounting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:50
S115	2	S113 and financ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:50
S116	4	S113 and entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:50
S123	4	S120 and progress\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:16
S134	82	((interview or interrupt) same (student or pupil or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5)) and (@pd<"19981222" or @ed<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:35

S137	43	((interrupt\$4 or stop\$3 or trap or halt\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ed<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:45
S138	48	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ed<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:49
S140	52	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or request\$4 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ed<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:49
S141	2	S120 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:15
S145	4	S120 and (business or corporat\$3 or office or financ\$4 or account\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:51
S146	2	S120 and (what\$1if or (what adj if))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:52

S147	1	S120 and ((what\$1if or (what adj if)) with (analy\$6 or perform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:05
S150	2	"4847784".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:03
S172	10	S168 and S171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 20:09
S173	8	S171 not S172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 20:12
S181	8	((("4910691") or ("5014220") or ("5326270") or ("5395243") or ("5535442") or ("5701400") or ("5727161") or ("5779486")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/07/25 14:33
S191	159	(manag\$5 or information) same S190	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S195	19	S193 same S194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S200	6	S193 same S198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S202	6	(S181) and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S205	6	S181 and table and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33

S207	31	((("5727161") or ("9744766") or ("6018731") or ("5701400") or ("5317677") or ("5395243") or ("6092060") or ("6272482") or ("20040181441") or ("6157808") or ("5418898") or ("5727950") or ("5788504") or ("5310349") or ("5799292") or ("5692213") or ("5694601") or ("5827070") or ("5701400") or ("5675752") or ("5781186") or ("0788065") or ("5745103") or ("5748190") or ("5822525") or ("5257185") or ("5051923") or ("20020198858") or ("6434447") or ("5836771") or ("6014134") or ("0788065")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/11 12:43
S208	7	S207 and S198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S210	4	S207 and S209	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S232	82	S231 and S229	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S238	164	S237 and (@pd<"19971222" or @ad<"19971222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S259	60	S251 and (S252 same service) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S261	60	S251 and (S252 same service) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33

S264	60	S262 and (S263 same service) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S265	3	((("5727161") or ("5788504") or ("5727950")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/07/25 14:33
S267	1	S266 and (goal same spreadsheet) and (model or present\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S268	1	S266 and (goal same spreadsheet) and (spreadsheet same present \$) and (spreadsheet same model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S286	1	"5727161".pn. and (learn \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S287	2	"5372507".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S288	6	("5372507" "5727950" "5727161").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S289	3	S288 and accounting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S290	2	S288 and financ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S291	4	S288 and entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S298	4	S295 and progress\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33

S310	82	((interview or interrupt) same (student or pupil or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5)) and (@pd<"19981222" or @ad<"19981222"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S313	43	((interrupt\$4 or stop\$3 or trap or halt\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S314	48	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S316	52	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or request\$4 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S317	2	S295 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S321	4	S295 and (business or corporat\$3 or office or financ\$4 or account\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33

S322	2	S295 and (what\$1if or (what adj if))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S323	1	S295 and ((what\$1if or (what adj if)) with (analy\$6 or perform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S326	2	"4847784".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:45
S347	11	S343 and S346	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S348	8	S346 not S347	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:33
S349	6	((("5893107") or ("5926807") or ("5727950") or ("5727161") or ("5372507") or ("4847784")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/04/11 12:46
S350	5	test and S349	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 12:47
S351	1	phase and S349	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 12:47
S352	1	S350 and S351	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 12:47
S353	5	S350 S351	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 12:47

S354	12463	functional\$4 adj test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:15
S355	546	usab\$4 adj test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:14
S356	513	cognit\$6 adj test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:19
S357	0	S355 same S356	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:19
S358	0	S355 and S356	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:19
S359	122	S354 and (S355 S356)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:19
S360	18	S359 and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:22
S361	269	(user adj testing) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:25
S362	234	"user testing" and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT	OR	ON	2007/09/26 14:15

S363	1478	cogniti\$4 near3 test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:13
S364	2794	usab\$6 near3 test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:14
S365	31868	functional\$4 near3 test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:15
S366	0	(S363 same S364 same S365) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT	OR	ON	2007/09/26 14:15
S367	0	(S363 and S364 and S365) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT	OR	ON	2007/09/26 14:16
S368	54	S363 same S364	US-PGPUB; USPAT	OR	ON	2007/09/26 14:15
S369	69	S363 same S365	US-PGPUB; USPAT	OR	ON	2007/09/26 14:15
S370	120	S364 same S365	US-PGPUB; USPAT	OR	ON	2007/09/26 14:16
S371	13	(S368 S369 S370) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT	OR	ON	2007/09/26 14:16
S372	0	"09/868,695"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 15:36
S373	3	goal.ti. table.ti. architecture.ti. utilizing.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/08 15:38
S374	2	rosenfeld.in. bassey.in. zadik.in. poon.in. lannert.in. solomon.in. conant.in. zorba.in. puccio.in. gobran.in. gilchrist.in. nichols.in. fleisher.in. friedman.in. ilipede.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/08 15:42

S375	0	"pct/us99/02737"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/08 15:39
S376	3	(S373 S374) and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 15:45
S377	3	(S373 S374) and readable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 15:48
S378	2	"20020052859".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 15:49
S379	1	S378 and (readable medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 15:49
S380	2	"20020052859".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:43
S381	1	S380 and (hardware disk disc diskette memory RAM ROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:44
S382	0	S380 and (carrier wave signal propagat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:43
S383	1	S380 and (sav\$4 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:45

S384	1531	domain adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:46
S385	183	profiling adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:46
S386	73	remediation adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:46
S387	727	transformation adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:46
S388	56	S384 and (S385 S386)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:47
S389	57	S387 and (S385 S386)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:47
S390	0	(S388 S389) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:47
S391	1	(S384 and S387) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:34
S392	4999	profile with domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:49

S393	20557	(profile domain) same criteria	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:49
S394	747	S392 and S393	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:49
S395	214	(student pupil learner tutoring learning) and S394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:50
S396	17	S395 and {@pd<"19981222" @ad<"19981222"}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:52
S397	1503	learning with objectives	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:51
S398	208	cognition with testing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:51
S399	56	S397 same S398	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:51
S400	0	S399 and {@pd<"19981222" @ad<"19981222"}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:52
S401	5257	(model\$4 simulat\$4) same state same manipulats\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:12

S402	190270	(model\$4 simulat\$4) same (profil\$4 analyz\$6 evaluat \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:14
S403	5065	rule same S402	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:14
S404	162	S401 and S403	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:15
S405	28	S404 and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:18
S406	17632	(remedial remediation feedback guiding guidance assist assisting assistance helping helpful help) with (student pupil learn\$4 tutor \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:23
S407	287	S406 same S402	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:17
S408	102	S407 and (S401 S403)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:18
S409	7	S408 and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:23
S410	1	S405 and S409	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:18
S411	34	S405 S409	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:18

S412	6413	(remedial remediation feedback guiding guidance assist assisting assistance helping helpful help) with (student pupil learner tutor \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:23
S413	181	(S401 S403 S402) same S412	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:23
S414	40	S413 and {@pd<"19981222" or @ad<"19981222"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:23
S415	37	S414 not S411	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:24
S416	2	"5727950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 11:02
S417	1	S416 and (state model\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 11:25
S418	1	S416 and (rule logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 11:36
S419	1	S417 S418	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:32
S420	4	"5727161".pn. "5372507". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:16

S421	3	S420 and (state model\$4 rule logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 13:51
S422	950	usability with test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:32
S423	4113	effectiv\$5 with navigat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:33
S424	62	S422 same S423	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:33
S425	0	S424 and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:34
S426	0	S422 and S423 and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 15:34
S427	8	((("4910691") or ("5014220") or ("5326270") or ("5395243") or ("5535442") or ("5701400") or ("5727161") or ("5779486"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/10 10:09
S428	6	(S427) and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S429	6	S427 and table and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S430	31	((("5727161") or ("9744766") or ("6018731") or ("5701400") or ("5317677") or ("5395243") or ("6092060") or ("6272482") or ("20040181441") or ("6157808") or ("5418898") or ("5727950") or ("5788504") or ("5310349") or ("5799292") or ("5692213") or ("5694601") or ("5827070") or ("5701400") or ("5675752") or ("5781186") or ("0788065") or ("5745103") or ("5748190") or ("5822525") or ("5257185") or ("5051923") or ("20020198858") or ("6434447") or ("5836771") or ("6014134") or ("0788065"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/10 10:09
S431	3	((("5727161") or ("5788504") or ("5727950"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/10 10:09
S432	1	"5727161".pn. and (learn \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S433	2	"5372507".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S434	6	("5372507" "5727950" "5727161").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S435	3	S434 and accounting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S436	2	S434 and financ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S437	4	S434 and entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S438	82	((interview or interrupt) same (student or pupil or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S439	43	((interrupt\$4 or stop\$3 or trap or halt\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S440	48	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S441	52	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or request\$4 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S442	2	"4847784".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S443	8	((("4910691") or ("5014220") or ("5326270") or ("5395243") or ("5535442") or ("5701400") or ("5727161") or ("5779486"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/10 10:09

S444	6	(S443) and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S445	6	S443 and table and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S446	31	((("5727161") or ("9744766") or ("6018731") or ("5701400") or ("5317677") or ("5395243") or ("6092060") or ("6272482") or ("20040181441") or ("6157808") or ("5418898") or ("5727950") or ("5788504") or ("5310349") or ("5799292") or ("5692213") or ("5694601") or ("5827070") or ("5701400") or ("5675752") or ("5781186") or ("0788065") or ("5745103") or ("5748190") or ("5822525") or ("5257185") or ("5051923") or ("20020198858") or ("6434447") or ("5836771") or ("6014134") or ("0788065"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/10 10:09
S447	3	((("5727161") or ("5788504") or ("5727950"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/10 10:09
S448	1	"5727161".pn. and (learn \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S449	2	"5372507".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S450	6	("5372507" "5727950" "5727161").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S451	3	S450 and accounting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S452	2	S450 and financ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S453	4	S450 and entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S454	82	((interview or interrupt) same (student or pupil or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S455	43	((interrupt\$4 or stop\$3 or trap or halt\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S456	48	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S457	52	((interrupt\$4 or stop\$3 or trap or halt\$3 or break\$3) same (interview\$3 or request\$4 or question\$3 or ask\$3 or prompt\$3) same (student or learner) same (determin\$3 or evaluat\$3 or measur\$3 or quantif\$5) same (progress\$3 or headway or perform\$4 or status or proficien\$2)) and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S458	2	"4847784".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S459	6	((("5893107") or ("5926807") or ("5727950") or ("5727161") or ("5372507") or ("4847784"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/07/10 10:09
S460	5	test and S459	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S461	1	phase and S459	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S462	1	S460 and S461	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S463	5	S460 S461	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S464	13876	functional\$4 adj test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S465	595	usab\$4 adj test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S466	637	cognit\$6 adj test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S467	129	S464 and (S465 S466)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S468	18	S467 and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S469	1696	cogniti\$4 near3 test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S470	3033	usab\$6 near3 test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S471	35330	functional\$4 near3 test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S472	57	S469 same S470	US-PGPUB; USPAT	OR	ON	2008/07/10 10:09
S473	74	S469 same S471	US-PGPUB; USPAT	OR	ON	2008/07/10 10:09
S474	136	S470 same S471	US-PGPUB; USPAT	OR	ON	2008/07/10 10:09
S475	13	(S472 S473 S474) and (@pd<"19981222" @ad<"19981222")	US-PGPUB; USPAT	OR	ON	2008/07/10 10:09
S476	3	goal.ti. table.ti. architecture. ti. utilizing.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 10:09
S477	2	rosenfeld.in. bassey.in. zadik.in. poon.in. lannert.in. solomon.in. conant.in. zorba. in. puccio.in. gobran.in. gilchrist.in. nichols.in. fleisher.in. friedman.in. lipede.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/10 10:09

S478	3	(S476 S477) and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S479	3	(S476 S477) and readable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S480	2	"20020052859".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S481	1	S480 and (readable medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S482	2	"20020052859".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S483	1	S482 and (hardware disk disc diskette memory RAM ROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S484	1	S482 and (sav\$4 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S485	1681	domain adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S486	191	profiling adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S487	79	remediation adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S488	794	transformation adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S489	57	S485 and (S486 S487)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S490	58	S488 and (S486 S487)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S491	1	(S485 and S488) and {@pd<"19981222" @ad<"19981222"}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S492	5570	profile with domain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S493	22862	(profile domain) same criteria	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S494	876	S492 and S493	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S495	242	(student pupil learner tutoring learning) and S494	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S496	17	S495 and {@pd<"19981222" @ad<"19981222"}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S497	1655	learning with objectives	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S498	224	cognition with testing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S499	57	S497 same S498	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S500	5475	(model\$4 simulat\$4) same state same manipul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S501	206532	(model\$4 simulat\$4) same (profil\$4 analyz\$6 evaluat \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S502	5724	rule same S501	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S503	175	S500 and S502	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S504	28	S503 and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S505	19168	(remedial remediation feedback guiding guidance assist assisting assistance helping helpful help) with (student pupil learn\$4 tutor \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S506	303	S505 same S501	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S507	106	S506 and (S500 S502)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S508	7	S507 and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S509	1	S504 and S508	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S510	34	S504 S508	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S511	7004	(remedial remediation feedback guiding guidance assist assisting assistance helping helpful help) with (student pupil learner tutor \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S512	187	(S500 S502 S501) same S511	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S513	39	S512 and (@pd<"19981222" or @ad<"19981222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S514	36	S513 not S510	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S515	2	"5727950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S516	1	S515 and (state model\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09

S517	1	S515 and (rule logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S518	1	S516 S517	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S519	4	"5727161".pn. "5372507".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S520	3	S519 and (state model\$4 rule logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S521	1044	usability with test\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S522	4585	effectiv\$5 with navigat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S523	63	S521 same S522	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:09
S524	0	{S439 S440 S441 S442 S443 S508 S468 S472 S473 S491 S496 S513 S520 S444 S445 S446 S447 S509 S475 S480 S481 S499 S504 S514 S519 S448 S449 S450 S451 S452 S453 S454 S455 S456 S457 S523 S476 S479 S482 S489 S490 S515 S518 S458 S459 S460 S461 S462 S463 S510 S477 S478 S483 S484 S487 S516 S517 S427 S428 S429 S430 S431 S432 S433 S434 S435 S436 S437	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:27

		S438) and (@pd> "20060724" and @ad< "19981222")				
S525	2358	706/45-47,927.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:32
S526	100361	profil\$4 with (component module analy\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:34
S527	134892	transform\$6 with (component module domain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:34
S528	722	remediation with (component feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:35
S529	57	(S526 same S527) and (S526 same S528)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:35
S530	0	S529 and (@pd< "19981222" @ad< "19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:36
S531	271	(S439 S440 S441 S442 S443 S508 S468 S472 S473 S491 S496 S513 S520 S444 S445 S446 S447 S509 S475 S480 S481 S499 S504 S514 S519 S448 S449 S450 S451 S452 S453 S454 S455 S456 S457 S523 S476 S479 S482 S489 S490 S515 S518 S458 S459 S460 S461 S462 S463 S510 S477 S478 S483 S484 S487 S516 S517 S427 S428 S429 S430 S431 S432 S433 S434 S435 S436 S437 S438) and (@pd< "19981222" @ad< "19981222")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:36

S532	21	S525 and S531	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:37
S533	3	S532 and (S526 S527 S528)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 10:38

7/10/2008 11:59:36 AM

C:\Documents and Settings\bbuss\My Documents\EAST\Workspaces\09868695.wsp